

RANGE OVERVIEW



WIDE
FORMAT

KERNOWJET®



KERNOW COATINGS

Kernick Road | Penryn | Cornwall | TR10 9DQ | UK
+44 (0)1326 373147 | sales@kernowcoatings.com

KERNOWJET®

KernowJet high performance media delivers fast drying and vibrant results in **portable and permanent displays**, with innovative and unique solutions developed for **glass, floor and decorative wall** applications.

The satin textured lightblock technology used in the KernowJet Ultimate range produces tough, perfectly flat roller banners that do not need to be laminated.

This technology accelerates production times, improves workflow and offers a wider colour gamut and flatter banners than laminated alternatives.

Specific features are built-in to many products e.g. repositionable, air-egress, 'no residue' adhesives for dry application and printable metallic films.

KernowJet offers a truly **unique range of solutions** for the wide-format display market.











New display solutions have been added to the range in 2017. The first is a creative, tactile portfolio of white, embossed, **printable wallcoverings – KernowJet Interiors**. The range has a special **non-woven backing** to enable both easy application and removal. It is suitable for a multitude of applications, from personalised murals to tailor-made wallcoverings for retail stores, hotels, offices, schools, POS, hospitals and so much more.

The KernowJet product range is compatible with solvent, latex and UV inks. It is available in a comprehensive range of standard sizes but can be customised to specific lengths and widths.



KERNOW COATINGS

ROLL-UP DISPLAYS

		Width (mm)	Length (Lm)
TEXTURED LAMINATED EFFECT	Polyester, matt grey back 98% opacity <ul style="list-style-type: none"> Premium roll-up material Textured, anti-reflective bright white front surface Scratch and water resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Ultimate 180 180STL 	180μ  914 30 1270 30
	Polyester composite, matt grey back 98% opacity <ul style="list-style-type: none"> Unbeatable price-quality ratio Textured surface Scratch-resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Supreme 225 225STVL 	229μ  914 30 Supreme 300 300STVL 310μ  914 30 1067 30 1270 30 1372 30 1524 30
MATT	Polyester grey back 98% opacity <ul style="list-style-type: none"> Premium roll-up material Anti-reflective matt bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Classic Matt 165 165SML	165μ  914 30 1067 30 1270 30 1524 30
GLOSSY	Polyester grey back 98% opacity <ul style="list-style-type: none"> Premium roll-up material High gloss bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Classic Gloss 155 155SGL	155μ  914 30  1067 30 1524 30
BUDGET SOLUTIONS	Polyester, satin grey back 98% opacity <ul style="list-style-type: none"> Budget roll-up material Tough satin white front polyester surface No need to laminate for short term displays Stiff, perfect flatness 	Classic Satin 165 165SSL	165μ  914 30 1067 30 1270 30
	Polypropylene, satin white back <ul style="list-style-type: none"> Budget roll-up material Satin white front PP surface Synthetic photo base alternative with superior smoothness Can be grommeted & sewn for cost effective posters and banner displays 	Endura 210 210SPS	210μ  914 30 1067 30 1270 30 1372 30 1524 30


PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

SPECIAL UVC/LATEX				
SPECIAL UVC/LATEX	Polyester, matt grey back 98% opacity	<ul style="list-style-type: none"> Bright white anti-reflective front surface Scratch and water resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	DuraBlock 204 204HML	205μ ● ●* 914 50 914 100 1524 100
	Polyester, matt both sides white	<ul style="list-style-type: none"> Printable on both sides Bright white anti-reflective front surface Scratch and water resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Dura 145 145HWNM	145μ ● ●* 914 100 914 200

POP-UP DISPLAYS

TEXTURED LAMINATED EFFECT				
TEXTURED LAMINATED EFFECT	Polyester, matt grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material Textured, anti-reflective bright white front surface Scratch and water resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	Ultimate 385 385STL	385μ ● ● 914 20 ● 1270 20
	Polyester composite, matt grey back 98% opacity	<ul style="list-style-type: none"> Unbeatable price-quality ratio Textured surface Scratch resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	Supreme 500 500STVL 	495μ ● ● 914 30 ● 1067 30 1270 30 1372 20 1524 20
MATT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material Anti-reflective matt bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	Classic Matt 290 290SML	290μ ● ● 914 30 ● 1270 30 1524 30
GLOSSY	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material High gloss bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	Classic Gloss 280 280SGL	280μ ● ● 914 30 ●* 1067 30 1270 30

PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

Category	Material	Properties	Product Name	Thickness	Width (mm)	Length (Lm)
MATT	Polyester, matt	<ul style="list-style-type: none"> • Front print on matt high-resolution coating • Bright light-diffusing back-coat hides light elements • With solvent inks: reverse or front print - can be illuminated from either side • Fast dry for improved workflow • Optimum day/night performance • Superb gamut when back-lit • Weather resistant for outdoor displays • Antistatic treatment avoids attracting dust and slipping in the printer • Ideal stiffness for lightboxes 	Opaline Matt 215 215SMB	215µ	<ul style="list-style-type: none"> ● 1270 ● 1372 ● 1524 	<ul style="list-style-type: none"> 30 30 30
GLOSSY	Polyester, glossy	<ul style="list-style-type: none"> • Front print on high-gloss high-resolution coating • Bright light-diffusing back-coat hides light elements • Optimum day/night performance • Superb gamut when front or back-lit • Scratch and weather resistant for outdoor applications and scrolling displays • Antistatic treatment avoids attracting dust and slipping in the printer • Ideal stiffness for lightboxes 	Opaline Gloss 201 201SGB	202µ	<ul style="list-style-type: none"> ● 914 ●* ● 1270 ● 1372 ● 1524 	<ul style="list-style-type: none"> 30 30 30 30 30
BUDGET	Polyester, matt	<ul style="list-style-type: none"> • Cost-effective matt backlit material for front print • Optimum day/night performance • Fast dry for improved workflow • Weather resistant for outdoor displays • Antistatic treatment avoids attracting dust and slipping in the printer 	Opaline Light 153 153SBB	155µ	<ul style="list-style-type: none"> ● 914 ● 1270 ● 1524 	<ul style="list-style-type: none"> 30 30 30
SPECIAL UVC/LATEX	Polyester, matt	<ul style="list-style-type: none"> • Double diffusion backlit film, printable on both sides • Ideal combination of whiteness and translucency • Optimum day/night performance • Scratch and weather resistant for outdoor applications and scrolling displays • Antistatic treatment avoids attracting dust and slipping in the printer 	Opaline Frost 195 195HHF	195µ	<ul style="list-style-type: none"> ●* ● 914 ● 1524 	<ul style="list-style-type: none"> 50 100 100

Certified for HP Latex Inks



PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

				Width (mm)	Length (Lm)
CLEAR	Polyester, glossy	<ul style="list-style-type: none"> • Glass-clear polyester film • 100% water resistant • High-gloss coating • Antistatic back coating avoids attracting dust and slipping in the printer 	KlearView 142 142SGC	142μ	
				● ● 762 30	●* 914 30
					1372 30
					1524 30
METALLIC	Polyester, glossy	<ul style="list-style-type: none"> • High-gloss coating for maximum mirror finish • Clear antistatic back coating avoids attracting dust and slipping in the printer • Water resistant • Printable on both sides with UV-curable inks 	Reflektion 119 119SGM	118μ	
				● ● 1270 30	●* 914 30
DISPLAYS – BANNER – BLIND – ROLL UP	Evolon®	<ul style="list-style-type: none"> • Special coating for perfect printability even with eco solvent inks • Fire rating ideal for point of sale and exhibitions • Perfectly sewable 	Evolon® 365 365SSE	365μ	
	Co-extruded matt polyester, 100% light stop	<ul style="list-style-type: none"> • Printable on both sides • 100% block out even in strong sunlight, no show-through • Dry off the printer for quick reversing • No lamination necessary • Antistatic back coating avoids attracting dust • Special coating prevents the film slipping in the printer • Ideal for double sided window displays 	Verso 195 195SMSD	200μ	
				● ● 914 30	● 1270 30
DISPLAYS – BANNER – BLIND – ROLL UP	Polyester, matt both sides black	<ul style="list-style-type: none"> • Perfect black film • Textured Satin Jet Black with anti-static properties • Optimum contrast with white inks • Printable on both sides • Weather, scratch & water resistant • No need to laminate • Can be produced in different colours • Please contact us for MOQ and further details 	IconiK 200 200KTB	200μ	
				● 914 30	
					1270 30
					1524 30


PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

WALLCOVERINGS

Width (mm)
Length (Lm)

WALLCOVERINGS WITH NON-WOVEN BACKING Non-woven substrate and top-coated vinyl	<ul style="list-style-type: none"> • Wallcovering with special multilayer top-coating • Great for tough environments • Removable without residue • Easy and quick application • Printed wallcovering can be washed • Classified as non-hazardous DIN 52900 • Fire ratings: Euro class B s1d0, Class 0, M1, B1 	Certified for HP Latex Inks	Interiors 500 500µ Smooth Touch 500 ● ● 1300 30.5 Light Canvas 500 ● Linnen 500 Further embossings: Sand, Dust, Brush, Porcelain, Façade, Rustique, Parchment, Bamboo	
	<ul style="list-style-type: none"> • Wallcovering with special multilayer top-coating • Great for very tough environments • Removable without residue • Easy and quick application • Printed wallcovering can be washed • Classified as non-hazardous DIN 52900 • Fire ratings: ASTM 		Interiors 620 620µ Light Touch 620 ● ● 1300 30.5 Canvas 620 ● Further embossings manufactured to order: Sand, Dust, Brush, Porcelain, Façade, Rustique, Parchment, Bamboo	



PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

Category	Material	Properties	Product Name	Thickness	Options
WALL/GLASS GRAPHICS	Polyester, matt	<ul style="list-style-type: none"> Sticks on almost all smooth or slightly textured surfaces Can easily be repositioned several times, perfect stability Unique adhesive technology for dry and bubble free application Excellent removability for up to 6 months on most surfaces Antistatic treatment and anti-curl backing liner 	Xacte 130 130SSRP	130μ	<ul style="list-style-type: none"> ● 914 30 ● 1372 30
FLOOR GRAPHICS	Polyester, matt	<ul style="list-style-type: none"> Unique sharkskin coating absorbs the ink & dries tough Eliminates the need to laminate Sharkskin structure gives great colour gamut and high grip R10 certified Easy to apply & easy to remove, does not tear No shrinkage, no risk of a rim of dirty adhesive forming around the print Ultra-tough polyester base, resists tearing Resists pallet trucks & stiletto heels Perfect for indoor floor graphics in supermarkets, shopping centres and smooth hard floors 	FloorShark® 170TFG	170μ	<ul style="list-style-type: none"> ● 1372 25 ● 1524 25 <p>NEW 2017</p>
METALLIC DOUBLE-SIDED	Polyester, glossy	<ul style="list-style-type: none"> Available in Metallic Silver, Gold & Rose Gold Removable adhesive, perfect for wet-application Same colour effect on both sides Metallic Cut&Print creates double sided displays Create bright metallic lettering and designs for windows & glass Perfect for temporary metallic point of sale promotions Combinations of print & CAD applications Good scratch resistance Very smooth finish, close to mirror effect 	Metalik® Cut&Print 074CSI Silver / Silver 074CGO Gold / Gold 074CRG Rose Gold / Rose Gold	74μ	<ul style="list-style-type: none"> ● 1372 45,7 ● 1524 45,7 <p>NEW 2017</p>
METALLIC SINGLE-SIDED	Polyester, glossy	<ul style="list-style-type: none"> Single-sided highly reflective Silver, Gold & Rose Gold High-tack adhesive for strong permanent adhesion Available in Metallic Silver, Gold or Rose Gold Perfect film for lamination on boards & smooth surfaces For POS decoration with or without print Turn any smooth surface metallic Ideal for packaging and doming with metallic effect Silver film is recommended for Color Logic® software Very smooth finish, close to mirror effect Good scratch resistance Can be cut and weeded 	Metalik® Inkjet 076SSI Silver / Silver 076SGO Gold / Silver 076SRG Rose Gold / Silver	76μ	<ul style="list-style-type: none"> ● 1372 45,7 ● 1524 45,7 <p>NEW 2017</p>



PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

ROLL-UP DISPLAYS

			Width (mm)	Length (Lm)
TEXTURED LAMINATED EFFECT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium roll-up material Textured, anti-reflective bright white front surface Instant dry scuff-resistant surface, no need for lamination Improve workflow and display quality Superior colour gamut versus laminated media Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Ultimate Aqua 201 200μ 201CTL	
			<ul style="list-style-type: none"> ● 914 30 ● 1067 30 ● 1270 30 	
MATT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium roll-up material Matt bright white front surface Excellent colour gamut and image quality Waterfast prints with pigment inks Antistatic treatment avoids attracting dust Stiff, perfect flatness 	Aqua Plus 190 190μ 190CML	
			<ul style="list-style-type: none"> ● 914 30 ● 1067 30 ● 1270 30 	
BUDGET SOLUTION	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Cost efficient matt lightblock display film Fast drying and smear resistant images Stiff, perfect flatness 	Aqua Matt 185 185μ 185CRL	
			<ul style="list-style-type: none"> ● 914 30 ● 1067 30 ● 1270 30 	

PRINTABILITY

- Latex
- * from 3rd Gen Latex or later
- Memjet
- Aqueous

POP-UP DISPLAYS

			Width (mm)	Length (Lm)
TEXTURED LAMINATED EFFECT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material Textured, anti-reflective bright white front surface Instant dry scuff-resistant surface, no need for lamination Improve both workflow and display quality Superior colour gamut versus laminated media Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	Ultimate Aqua 316 315μ	
			316CTL	<ul style="list-style-type: none"> ● ● 914 30 1067 30
BUDGET SOLUTION	Polyester	<ul style="list-style-type: none"> Cost efficient matt lightblock display film Fast drying and smear resistant images Stiff, perfect flatness 	Aqua Matt 300 300μ	
			300CRL	<ul style="list-style-type: none"> ● ● 914 30 1067 30 1270 30

SPECIALITIES

			Width (mm)	Length (Lm)
CLEAR	Polyester, glossy	<ul style="list-style-type: none"> Clear glossy film Removable two edge striped for printer recognition Packaged with interleaving 	Overlay 102 102μ	
			102CJC.2ES	<ul style="list-style-type: none"> ● 914 20 1067 20 1118 20 1270 20

SELF-ADHESIVE

			Width (mm)	Length (Lm)
PERMANENT HIGH TACK	Polyester, white	<ul style="list-style-type: none"> Gloss white self-adhesive inkjet film Rapid drying and smear resistant Standard acrylic adhesive, initially repositionable increasing to permanent 	LabelStock Gloss 51μ	
			051CGWXF	<ul style="list-style-type: none"> ● ● 914 20

PRINTABILITY

- Latex
- * from 3rd Gen Latex or later
- Memjet
- Aqueous

KERNOWJET®

INTERIORS





K E R N O W C O A T I N G S

Kernick Road | Penryn | Cornwall | TR10 9DQ | UK
+44 (0)1326 373147 | www.kernowcoatings.com | sales@kernowcoatings.com