

RANGE OVERVIEW



WIDE
FORMAT

KERNOWJET®



KERNOW COATINGS

Kernick Road | Penryn | Cornwall | TR10 9DQ | UK
+44 (0)1326 373147 | sales@kernowcoatings.com

K E R N O W J E T[®]

KernowJet high performance media delivers fast drying and vibrant results in **portable and permanent displays**, with innovative and unique solutions developed for **glass, floor and decorative wall** applications.

The satin textured lightblock technology used in the KernowJet Ultimate range produces tough, perfectly flat roller banners that do not need to be laminated.

This technology accelerates production times, improves workflow and offers a wider colour gamut and flatter banners than laminated alternatives.

Specific features are built-in to many products e.g. repositionable, air-egress, 'no residue' adhesives for dry application and printable metallic films.

KernowJet offers a truly **unique range of solutions** for the wide-format display market.

New display solutions have been added to the range in 2017. The first is a creative, tactile portfolio of white, embossed, **printable wallcoverings – KernowJet Interiors**. The range has a special **non-woven backing** to enable both easy application and removal. It is suitable for a multitude of applications, from personalised murals to tailor-made wallcoverings for retail stores, hotels, offices, schools, POS, hospitals and so much more.

The KernowJet product range is compatible with solvent, latex and UV inks. It is available in a comprehensive range of standard sizes but can be customised to specific lengths and widths.



K E R N O W C O A T I N G S

SELF-ADHESIVE SPECIALTY MEDIA

				Width (mm)	Length (Lm)
FLOOR GRAPHICS	Polyester, matt	<ul style="list-style-type: none"> • Unique sharkskin coating absorbs the ink & dries tough • Eliminates the need to laminate • Sharkskin structure gives great colour gamut and high grip • R10 certified • Easy to apply & easy to remove, does not tear • No shrinkage, no risk of a rim of dirty adhesive forming around the print • Ultra-tough polyester base, resists tearing • Resists pallet trucks & stiletto heels • Perfect for indoor floor graphics in supermarkets, shopping centres and smooth hard floors 	<p>FloorShark® 170TFG</p> <p>170μ</p> <p>● ● 1372 25 ● 1524 25</p>		
METALLIC DOUBLE-SIDED	Polyester, glossy	<ul style="list-style-type: none"> • Available in Metallic Silver, Gold & Rose Gold • Removable adhesive, perfect for wet-application • Same colour effect on both sides • Metallic Cut&Print creates double sided displays • Create bright metallic lettering and designs for windows & glass • Perfect for temporary metallic point of sale promotions • Combinations of print & CAD applications • Very smooth finish, close to mirror effect 	<p>MetaliK® Cut&Print</p> <p>074CSI Silver / Silver</p> <p>074CGO Gold / Gold</p> <p>074CRG Rose Gold / Rose Gold</p> <p>74μ</p> <p>● ● 1372 45.7 ● 1524 45.7</p>		
METALLIC SINGLE-SIDED	Polyester, glossy	<ul style="list-style-type: none"> • Single-sided highly reflective Silver, Gold & Rose Gold • High-tack adhesive for strong permanent adhesion • Available in Metallic Silver, Gold or Rose Gold • Perfect film for lamination on boards & smooth surfaces • For POS decoration with or without print • Turn any smooth surface metallic • Ideal for packaging and doming with metallic effect • Silver film is recommended for Color Logic® software • Very smooth finish, close to mirror effect • Can be cut and weeded 	<p>MetaliK® Inkjet</p> <p>076SSI Silver / Silver</p> <p>076SGO Gold / Silver</p> <p>076SRG Rose Gold / Silver</p> <p>76μ</p> <p>● ● 1372 45.7 ● 1524 45.7</p>		
WALL/GLASS GRAPHICS	Polyester, matt	<ul style="list-style-type: none"> • Sticks on almost all smooth or slightly textured surfaces • Can easily be repositioned several times, perfect stability • Unique adhesive technology for dry and bubble free application • Excellent removability for up to 6 months on most surfaces • Antistatic treatment and anti-curl backing liner 	<p>Xacte 130 130SSRP</p> <p>130μ</p> <p>● ● 914 30 1372 30</p>		

Certified for HP Latex Inks

Certified for HP Latex Inks


Certified for HP Latex Inks



PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

WALLCOVERINGS WITH NON-WOVEN BACKING	Non-woven substrate and top-coated vinyl	<ul style="list-style-type: none"> • Wallcovering with special multilayer top-coating • Great for tough environments • Removable without residue • Easy and quick application • Printed wallcovering can be washed • Classified as non-hazardous DIN 52900 • Fire ratings: Euro class B s1d0, Class 0, M1, B1 • Certified to work with ClearShield Wall Armor when additional stain, scratch and abrasion resistance is required 	Certified for HP Latex Inks	Interiors 500 500μ Smooth Touch 500 ● ● 1300 30.5 Light Canvas 500 ● Linnen 500 Further embossings: Sand, Dust, Brush, Porcelain, Façade, Rustique, Parchment, Bamboo	
		<ul style="list-style-type: none"> • Wallcovering with special multilayer top-coating • Great for very tough environments • Removable without residue • Easy and quick application • Printed wallcovering can be washed • Classified as non-hazardous DIN 52900 • Fire ratings: ASTM • Certified to work with ClearShield Wall Armor when additional stain, scratch and abrasion resistance is required 		Interiors 620 620μ Light Touch 620 ● ● 1300 30.5 Canvas 620 ● Further embossings manufactured to order: Sand, Dust, Brush, Porcelain, Façade, Rustique, Parchment, Bamboo	

NON-ADHESIVE SPECIALTY MEDIA

CLEAR	Polyester, glossy	<ul style="list-style-type: none"> • Glass-clear polyester film • 100% water resistant • High-gloss coating • Antistatic back coating avoids attracting dust and slipping in the printer 	KlearView 142 142μ 142SGC ● ● 762 30 ●* 914 30 ● 1372 30 ● 1524 30
METALLIC	Polyester, glossy	<ul style="list-style-type: none"> • High-gloss coating for maximum mirror finish • Clear antistatic back coating avoids attracting dust and slipping in the printer • Water resistant • Printable on both sides with UV-curable inks 	Reflektion 119 118μ 119SGM ● ● 1270 30 ●*
DISPLAYS – BANNER – BLIND – ROLL UP	Co-extruded matt polyester, 100% light stop	<ul style="list-style-type: none"> • Printable on both sides • 100% block out even in strong sunlight, no show-through • Dry off the printer for quick reversing • No lamination necessary • Antistatic back coating avoids attracting dust • Special coating prevents the film slipping in the printer • Ideal for double sided window displays 	Verso 195 200μ 195SMSD ● ● 914 30 ● 1270 30
		<ul style="list-style-type: none"> • Perfect black film • Textured Satin Jet Black with anti-static properties • Optimum contrast with white inks • Printable on both sides • Weather, scratch & water resistant • No need to laminate • Can be produced in different colours • Please contact us for MOQ and further details 	IconiK 200 200μ 200KTB ● 914 30 ● 1270 30 ● 1524 30

PRINTABILITY


- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

ROLL-UP DISPLAYS

		Width (mm)	Length (Lm)
TEXTURED LAMINATED EFFECT	Polyester, matt grey back 98% opacity	<ul style="list-style-type: none"> Premium roll-up material Textured, anti-reflective bright white front surface Scratch and water resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	<p>Ultimate 180 180STL</p> <p>180μ</p> <p>● ● 914 30 ● 1270 30</p> <p>Ultimate 230 230STL</p> <p>230μ</p> <p>● ● 914 30 ● 1270 30 1524 30</p>
	Polyester composite, matt grey back 98% opacity	<ul style="list-style-type: none"> Unbeatable price-quality ratio Textured surface Scratch-resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	<p>Supreme 225 225STVL</p> <p>229μ</p> <p>● ● 914 30 ●</p> <p>Supreme 300 300STVL</p> <p>310μ</p> <p>● ● 914 30 ● 1067 30 1270 30 1372 30 1524 30</p>
MATT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium roll-up material Anti-reflective matt bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 	<p>Classic Matt 165 165SML</p> <p>165μ</p> <p>● ● 914 30 ● 1067 30 1270 30</p>

POP-UP DISPLAYS

		Width (mm)	Length (Lm)
TEXTURED LAMINATED EFFECT	Polyester, matt grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material Textured, anti-reflective bright white front surface Scratch and water resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	<p>Ultimate 385 385STL</p> <p>385μ</p> <p>● ● 914 20 ● 1270 20</p>
	Polyester composite, matt grey back 98% opacity	<ul style="list-style-type: none"> Unbeatable price-quality ratio Textured surface Scratch resistant, no need for lamination Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	<p>Supreme 500 500STVL</p> <p>495μ</p> <p>● ● 914 30 ● 1067 30 1270 30 1372 20 1524 20</p> 

PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

MATT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material Anti-reflective matt bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	Classic Matt 290 290SML	290μ	● ● 914 30
					● 1270 30
GLOSSY	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material High gloss bright white front surface Optimum ink adhesion Tough and water resistant Antistatic treatment avoids attracting dust and slipping in the printer Ideal for perfect pop-ups Stiff, perfect flatness 	Classic Gloss 280 280SGL	280μ	● ● 914 30
					●* 1270 30

BACKLIT MEDIA

MATT	Polyester, matt	<ul style="list-style-type: none"> Front print on matt high-resolution coating Bright light-diffusing back-coat hides light elements With solvent inks: reverse or front print - can be illuminated from either side Fast dry for improved workflow Optimum day/night performance Superb gamut when back-lit Weather resistant for outdoor displays Antistatic treatment avoids attracting dust and slipping in the printer Ideal stiffness for lightboxes 	Opaline Matt 215 215SMB	215μ	● ● 1270 30
					● 1372 30
GLOSSY	Polyester, glossy	<ul style="list-style-type: none"> Front print on high-gloss high-resolution coating Bright light-diffusing back-coat hides light elements Optimum day/night performance Superb gamut when front or back-lit Scratch and weather resistant for outdoor applications and scrolling displays Antistatic treatment avoids attracting dust and slipping in the printer Ideal stiffness for lightboxes 	Opaline Gloss 201 201SGB	202μ	● ● 914 30
					●* 1067 30
SPECIAL UVC/LATEX	Polyester, matt	<ul style="list-style-type: none"> Double diffusion backlit film, printable on both sides Ideal combination of whiteness and translucency Optimum day/night performance Scratch and weather resistant for outdoor applications and scrolling displays Antistatic treatment avoids attracting dust and slipping in the printer 	Opaline Frost 195 195HHF	195μ	● ●* 914 50
					914 100
					1524 100

Certified for
HP Latex Inks

PRINTABILITY

- (Eco)-Solvent
- UV

- Latex
- * from 3rd Gen Latex or later

ROLL-UP DISPLAYS

Width (mm)
Length (Lm)

			Ultimate Aqua 201 201CTL		200μ			
TEXTURED LAMINATED EFFECT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium roll-up material Textured, anti-reflective bright white front surface Instant dry scuff-resistant surface, no need for lamination Improve workflow and display quality Superior colour gamut versus laminated media Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 			● ● 914 30			
					● 1067 30			
BUDGET SOLUTION	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Cost efficient matt lightblock display film Fast drying and smear resistant images Stiff, perfect flatness 			Aqua Matt 185 185CRL		185μ	
					● ● 914 30	● 1067 30	1270 30	

POP-UP DISPLAYS

			Ultimate Aqua 316 316CTL		315μ			
TEXTURED LAMINATED EFFECT	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Premium pop-up material Textured, anti-reflective bright white front surface Instant dry scuff-resistant surface, no need for lamination Improve both workflow and display quality Superior colour gamut versus laminated media Antistatic treatment avoids attracting dust and slipping in the printer Stiff, perfect flatness 			● ● 914 30			
					1067 30			
BUDGET SOLUTION	Polyester grey back 98% opacity	<ul style="list-style-type: none"> Cost efficient matt lightblock display film Fast drying and smear resistant images Stiff, perfect flatness 			Aqua Matt 300 300CRL		300μ	
					● ● 914 30	1067 30	1270 30	

SPECIALTY

			Overlay 102 102CJC.2ES		102μ	
CLEAR	Polyester, glossy	<ul style="list-style-type: none"> Clear glossy film Removable two edge striped for printer recognition Packaged with interleaving 			● 914 20	
					1067 20	
					1118 20	
					1270 20	

SELF-ADHESIVE

			LabelStock Gloss 051CGWXF		51μ	
PERMANENT HIGH TACK	Polyester, white	<ul style="list-style-type: none"> Gloss white self-adhesive inkjet film Rapid drying and smear resistant Standard acrylic adhesive, initially repositionable increasing to permanent 			● ● 914 20	

PRINTABILITY

- Latex
- * from 3rd Gen Latex or later

- Memjet
- Aqueous



KERNOW COATINGS

Kernick Road | Penryn | Cornwall | TR10 9DQ | UK
+44 (0)1326 373147 | www.kernowcoatings.com | sales@kernowcoatings.com